



GATHA GLOBAL TRADERS
The Passport for Your Product

CERAMIC TILES

**PRODUCT
CATALOG**



GATHA GLOBAL TRADERS
The Passport for Your Product

Bringing the Beauty of Nature into Your Space

Experience the calm beauty of our ceramic tiles, where each piece reflects the natural charm of the earth. Inspired by organic textures and forms, our collection brings the peaceful essence of nature into your interiors.

From the soft flow of a stream to the raw beauty of mountain landscapes, our designs create a sense of balance and tranquillity in any space. Carefully crafted with fine detail, our tiles capture nature's rich colors, patterns, and textures for a truly timeless appeal.





**600X1200MM
VERSATILE SIZE FOR
ANY CONTEMPORARY
SPACES**



Introducing our ceramic tiles, designed with versatility in mind. With dimensions of 600x1200mm, these tiles are perfectly suited for a myriad of applications, whether it be residential, Commercial, or industrial. Their spacious format offers endless Design possibilities, allowing for seamless integration into any Space. Whether you're revamping a kitchen, renovating a Bathroom, or constructing a grand foyer, our ceramic tiles Provide the ideal blend of style and functionality.

CERAMIC A SAFE CHOICE



Low Water
Absorption



Bending
Strength



More
Durability



Acid & Chemical
Resistance



Wear & Tear
Resistance



Stain
Resistance



Frost
Resistance



Temperature
Resistance



Scratch
Resistance



AntiSlip
Surface

STRONG SURFACE EXTREME HARDNESS

Experience the epitome of durability with our ceramic tiles, meticulously crafted to withstand the test of time and the rigors of daily life.

WEAR AND TEAR RESISTANCE

With our scratch-resistant ceramic tiles, you can enjoy the beauty of your floors without the fear of damage detracting from their elegance.

SAFETY AND STYLE COMBINED

Designed with your well being in mind, our tiles offer a reliable grip underfoot, minimizing the risk of slips and falls.

EASY TO CLEAN AND EFFORTLESS

With our ceramic tiles, dirt, spills, and stains are no match. Simply wipe away messes with ease, leaving your floors looking immaculate day after day.




RIGHT CHOICE FOR PUBLIC AND PRIVATE SPACES

Unleash the transformative power of versatility with our ceramic tiles. Meticulously crafted to elevate both public and private spaces alike. Whether you're designing a bustling commercial area or creating a serene sanctuary in your home, our tiles offer limitless possibilities for expression and functionality.

From sleek office lobbies to cozy living rooms, our tiles seamlessly adapt to any environment, enhancing the aesthetic appeal while delivering unmatched durability and performance. Their adaptability knows no bounds – whether adorning the floors, walls, or even outdoor spaces, our ceramic tiles bring a touch of sophistication and practicality wherever they're installed.






DESIGN NAME
GLOSSTA AQUA

AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE








DESIGN NAME
GLOSSTA BIANCO

AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE





DESIGN NAME
GLOSSTA CREMA

AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE






DESIGN NAME
GLOSSTA BROWN

AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE






DESIGN NAME
GLOSSTA GREY

AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE








DESIGN NAME
GLOSSTA GRIS

AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE





DESIGN NAME
GLOSSTA LAKE

AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE






DESIGN NAME
**GLOSSTA
MUSTARD**


AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE







DESIGN NAME
GLOSSTA OYSTER

AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE









DESIGN NAME
GLOSSTA OLIVE

AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE




DESIGN NAME
GLOSSTA PEACH

AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE






DESIGN NAME
GLOSSTA ROSSO


AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE








DESIGN NAME
GLOSSTA PURPLE

AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE





DESIGN NAME
GLOSSTA SKY

AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE







DESIGN NAME
GLOSSTA VARDE

AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE




DESIGN NAME
**GLOSSTA
YELLOW**

AVAILABLE IN
4 RANDOMS

DIMENSION
600X1200MM | 60X120CM

SURFACE
GLOSSY SURFACE



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO 13006:2018/ EN14411 Gr.BIa	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in length and width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in thickness	± 5.00 % (±0.50mm)	± 4.00 %	ISO 10545-2
Straightness in side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10 %	ISO 10545-2
Surface flatness central curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness edge curvature	± 0.40 % (±1.80mm)	± 0.20 %	ISO 10545-2
Surface flatness warpage	± 0.40 % (±1.80mm)	± 0.10 %	ISO 10545-2
Surface quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(For Plain Color)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value > 90	Glossmeter 60°
Glossiness (Matt)	as per mfg.	3° < GLOSS < 7°	Glossmeter 60°
Glossiness (satin/Posh)	as per mfg.	7° < GLOSS < 18°	Glossmeter 60°
Structural Properties			
Water absorption	0.50 % ≤ Ev ≤ 3.00 %	0.060 % ≤ Ev ≤ 3.00 %	ISO 10545-3
Bulk density	as per mfg.	> 2.28 gm/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 30.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1100.0 N	Min. 1300.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(For ≥15mm)	Min. 1100.0 N	Min. 1800.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness	as per mfg.	Polished Min 4* / Satin, Posh & Matt Min 6	BS EN 15771
Surface abrasion resistance	as per mfg.	Polish Min. Class 2, Satin & Posh Min. Class 3, & Matt Min. Class 4	ISO 10545-7
Deep abrasion resistance	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR)	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLA**	ISO 10545-13
Resistance to high concentrate acid and alkalis unglazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance (COF-WET PENDULAM)##	as per mfg.	Glossy P0(<12), Satin, Posh ≥P1(12-24) Matt ≥P2(25-34)	BS 7976-2
Slip resistance - (Satin / Matt (DCOF) (R value)##	as per mfg.	R9 to R13**	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
GVT-PGVT	600x 1200mm	8.5mm	2 pcs.	1.44 sq. mtr.	27.300 KG (APPROX)



GATHA GLOBAL TRADERS
The Passport for Your Product

COMPANY INFORMATION

Supplier Name	GATHA GLOBAL TRADERS
Goods and Services Tax Identification Number	23AHAPN8012E1ZW
Importer Exporter Code	AHAPN8012E
Federation of Indian Export Organisations Registration Number	RCMC/FIEO/07781/2024-2025
Registered Office Address	R/10, JDA Plots, Near Kachnar City Gate No. 2, Vijay Nagar, Jabalpur, Madhya Pradesh, India, Pin code - 482002
Phone	+91 94246 02091
Email ID	rahulnema@gathaglobaltraders.com
Webiste	www.gathaglobaltraders.com
Bank Account Details	RECIPIENT NAME: GATHA GLOBAL TRADERS Bank Name: HDFC BANK Account Number: 50200093036091 Swift Code: HDFCINBBXXX Branch Address: No. 636 Main Road, 4, SBI Chowk, Vijay Nagar, Jabalpur, Madhya Pradesh, India, Pin Code: 482001

I hereby certify that the information in this document is accurate and meets the quality standards of our product. Our quality control team has thoroughly reviewed and verified the specifications and related details to ensure compliance with global quality standards and client requirements.

RAHUL NEMA
PROPRIETOR
GATHA GLOBAL TRADERS